



File Name: card desiree cs manual.pdf

Size: 3340 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 22 May 2019, 17:22 PM

Rating: 4.6/5 from 845 votes.

Status: AVAILABLE

Last checked: 19 Minutes ago!

In order to read or download card desiree cs manual ebook, you need to create a FREE account.

[**Download Now!**](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with card desiree cs manual . To get started finding card desiree cs manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

card desiree cs manual

It was created for Windows by HiTi. Further information on HiTi can be found here. Please follow if you want to read more on Card Desiree CS on HiTi's page. The application is frequently found in the C:\Program Files x86\HiTi\CardCS directory same installation drive as Windows. The program's main executable file is titled CrdMster.exe and its approximate size is 1.65 MB 1732608 bytes. Card Desiree CS installs the following executables on your PC, taking about 1.65 MB 1732608 bytes on disk. CrdMster.exe 1.65 MB The information on this page is only about version 1.0.46.21 of Card Desiree CS. Some users want to erase this program. Sometimes this is effortful because doing this manually requires some knowledge related to Windows internal functioning. The best SIMPLE way to erase Card Desiree CS is to use Advanced Uninstaller PRO. Here is how to do this This is good because Advanced Uninstaller PRO is a very useful uninstaller and all around tool to clean your Windows PC. DOWNLOAD NOW go to Download Link download the program by pressing the green DOWNLOAD button install Advanced Uninstaller PRO 2. Start Advanced Uninstaller PRO. Take some time to get familiar with the program's design and number of tools available. If it is installed on your PC the Card Desiree CS program will be found very quickly. Notice that after you click Card Desiree CS in the list of apps, the following information regarding the application is shown to you Safety rating in the lower left corner. Opinions by other people Click on the Read reviews button. Technical information regarding the app you want to remove, by pressing the Properties button. For example you can see that for Card Desiree CS Confirm the removal by pressing Uninstall. Advanced Uninstaller PRO will automatically remove Card Desiree CS. 8. After removing Card Desiree CS, Advanced Uninstaller PRO will offer to run an additional cleanup. Press Next to start the cleanup. <https://www.sloyki.ru/userfiles/bravo-ii-autoprinter-manual.xml>

- **card desiree cs manual, card desiree cs user manual, 1.0, card desiree cs manual, card desiree cs user manual.**

All the items of Card Desiree CS which have been left behind will be detected and you will be asked if you want to delete them. By removing Card Desiree CS using Advanced Uninstaller PRO, you are assured that no Windows registry items, files or directories are left behind on your PC. Your Windows computer will remain clean, speedy and ready to run without errors or problems. DOWNLOAD NOW This page simply contains detailed instructions on how to remove Card Desiree CS in case you want to. All Rights Reserved. Pentium is a U.S. registered trademark of Intel Corporation. TrueType is a U.S. trademark of Apple Computer, Inc. Adobe and Acrobat are registered trademarks of Adobe Systems Incorporated. Brands and product names are trademarks or registered trademarks of their respective companies. COPYRIGHT The information contained in this document is subject to change without notice. HiTi Digital, Inc. Page 3 SAFETY INSTRUCTIONS 1. Read these instructions carefully. Keep these instructions for future reference. Follow all warnings and instructions as marked on the product. 2. Unplug this product from the wall outlet before cleaning. Do not use liquid detergents or aerosol cleaners. Use a damp cloth for cleaning. 3. Do not use this product near water. 4. Do not place this product on an unstable cart, stand, or table. We hope this will just be the beginning of our longterm and successful association. High quality printing. Page 6 Chapter 1 Hardware Installation 11 Check Accessories Please make sure the following items are included when you unpack the card printer. 1. Card Output Hopper 2. Weight 3. USB Cable 4. Power Cord 5. User Manual 6. CD 7. Cleaning Roller 8. Cleaning Kit If any of the above items is missing, please contact your nearest HiTi customersupport facility or your local HiTi distributor. Laminator Card Printer 8 www.hiti. Page 9 z Control Panel. A. LED Light Turn the power

on. <http://pilotgen.com/upload/bravo-ii-autoprinter-manual.xml>

The printer will automatically initiate a system check and turn on the green LED light to indicate that the printer status is normal. If an error occurs, an error message will be shown on the LCD display and flash the LED. Please refer to "Chapter 5 Troubleshooting" for resolving this error message. Status Light Green LED means that the status of the card printer is normal. Error Light Red LED means that an error has occurred. Before you turn on the "Power Switch", please make sure that you have already installed the printer driver. Turn the cleaning roller after its installation; if it turns smoothly, then the installation of the cleaning roller should be correct. The HiTi card printer package does not include cards and ribbons. You can contact your local HiTi distributor or refer to Appendix E for consumer ordering information. Please make sure the drive gear is properly seated against the ribbon spool. 5. Close the ribbon door. Make sure the STATUS LED displays green light and the LCD display shows "READY". The printer driver is divided into seven different categories not including general properties integrated in a main page. A B C D E F G H A. B. C. D. E. F. G. H. Ribbon Type Select the ribbon type you want to use. 1. YMCKO ribbon, 2. Resin K ribbon, 3. YMCO ribbon, 4. KO ribbon or 5. YMCKOK ribbon. Card Type Select the card type you want to use. Page 20 When you select the YMCKO ribbon as your ribbon type, several options for Resin K will be available. You can design printing areas, such as the following instructions. The dark area represents the area which will be covered by the ribbon, and the blank area represents the area where the ribbon will not cover anything. Save As Save the layout setting file in any location after the modification. When you are not using the database, you can manually enter data for the encoding of the magnetic stripe. There are three tracks within the magnetic stripe.

The first track includes alphanumeric characters and other simple symbols. The second and the third tracks accept numeric characters only. When you mark Track 1, Track 2, Track 3 for data encoding, the function of Using Database will be disabled. A B C D E A Lamination Side 4 options to do lamination No Lamination, Front Side Lamination, Back Side Lamination, Double Side Lamination. B Lamination Type Lamination ribbon options. C Transfer Dwell Time The speed of the transfer to do lamination. D Transfer Temperature The temperature of the transfer to lamination. Page 29 Chapter 3 Operation Instruction In this Chapter, you will find a detailed introduction about the operation through the LCD display. 31 LCD display instruction The printer is equipped with an LCD Display and four buttons, which give access to printer menus. Turn the printer power switch on, the printer system will detect the printer status and feedback the error messages on the LCD display if any error would occur. We will introduce a detailed cleaning procedure in the following sections. Please pay attention to the following when you use the printer. 1. Page 32 41 Clean Cleaning Roller 1. Switch the card printer off. 2. Slide the ID button and lift the ribbon door up. 3. Open the cover of the cleaning module and take the cleaning roller off, as illustrated. 4. Roll the cleaning roller against the adhesive side of the cleaning card or against the adhesive tape to remove the dust from the cleaning roller. 5. Please insert the cleaning roller spool into the spool receivers. Page 35 44 Clean Air Filter 1. Switch the card printer off. 2. Open the ribbon door. 3. Slide the air filter out from the side of ribbon door and clean the dust on the filter, as illustrated. 4. Insert the air filter into the ribbon door and close the ribbon door. The cleaning process is finished. 35 www.hiti. Page 36 45 Cleaning Cardinsert Mechanism 1. Switch the card printer off. 2. Open and empty the Card Input Hopper.

Page 39 Ribbon out 1. Please install a new ribbon. 2. Please follow the instructions from the LCD display to switch the ribbon sensors Please refer to Chapter 3, section 2, the description of RIBBON 1 The ribbon has been used up. If the error message still occurs, please contact your nearest HiTi distributor or HiTi customer service center. Website 1. Please make sure the ribbon is present. 2. Please make sure the ribbon has been installed properly. 3. Page 40 Please remove the card by following the instructions on the LCD monitor of the printer before continuing the print job. There

are three options jammed card removal. Page 41 Cam TPH error The error occurs in the mechanism. Or download the latest version of firmware from HiTi website and follow the instructions from the HiTi Card Printer User Manual to reinstall the firmware. If the error message still occurs, please contact your nearest HiTi distributor or HiTi customer service center. Website Page 42 1. The printer will detect the printing temperature automatically. When the temperature is overheated, the printer will stop printing temporarily and cool the temperature down. The card printer will continue until the 1. Please wait a while until the thermal printing head Thermal print head temperature will be below 60 . cools down, and the printer will restart automatically. overheat 2. When you continue printing more 2. Page 43 carefully reinstall it to its proper position. 3. Please clean the chip on the side of the ribbon and reinstall the ribbon. 4. Please make sure the ribbon door is closed. If the error message still occurs, please contact your nearest HiTi distributor or HiTi customer service center. Website 1. Please clean the chip on the side of the ribbon and reinstall the ribbon on the card printer. 2. If the error message still exists, please install a new ribbon. Please make sure the rejected box is installed The rejected box is not placed in the properly. Please restart the card printer.

Save these instructions for future reference. Follow all warnings and instructions marked on the product. 1. Unplug this product from the wall outlet before cleaning. Do not use liquid cleaners or aerosol cleaners. Use a damp cloth for cleaning. 2. Do not use this product near water. 3. Do not place this product on an unstable cart, stand, or table. The product may fall, causing serious damage to the product. 4. Page 47 Appendix C FCC Compliance Statement z FCC Information The Federal communication Commission Radio Frequency Interference Statement includes the following paragraph This equipment has been tested and found to comply with the limits for a Class B Digital Device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. Page 48 www.hiti. Page 49 www.hiti. Page 50 z CE Information 50 www.hiti. Page 51 www.hiti. Page 52 Appendix D Customer Service Information If your printer does not function normally, please refer to the following procedures for assistance. Support Process Before you contact HiTi customer support, please try the following 1. You have consulted the Quick Installation Guide. 2. You have consulted the troubleshooting tips in the manual. 3. You may also consult your printer's distributor for assistance. Please contact our dealer or visit HiTi Website for quickly order service. If you do not have a card printer driver that is Vista operating system compatible, or if you are using the TruFinger Print solution, do NOT upgrade. If you are using TruPhoto solution, you must have v6.5 or greater and if you are using TruSignature solution, you must have v6.5. All components must be Vista operating system compatible for the solution to run on Vista. If your card printer is not Vista operating system compatible, please do not upgrade. If you upgrade to ID Works v6.

5 software to run on Vista operating system and are using any of the software offerings listed below, you must also upgrade those applications to be compatible. If you are using hardware that is not Vista operating system compatible, do not upgrade. The plugin included with the v5.0 driver installation does not support ID Works v5.1 software. A 64 bit printer driver for your printer is also required. If you are using Tru Photo solution, you must have v6.5 or greater and if you are using Tru Signature solution, you must have v6.5. All components must be Vista or Windows 7 operating system compatible for the solution to run on Vista. If you are using Tru Capture solutions, you must use the Vista or Windows 7 operating system compatible software version and hardware noted in the description. If your card printer is not Vista or Windows 7 operating system compatible, please do not upgrade. If you upgrade to ID Works v6.5 software to run on Vista operating system and are using any of the software offerings listed below, you must also upgrade those applications to be compatible. If you are using hardware that is not Vista operating system compatible, do not upgrade. Prior to installing the Language Pack, please make sure that an edition of ID Works v6.5 software has been installed. Prints watermark on cards. Datacard offers the trusted identity and secure transaction technologies Solutions range from. Pentium es una marca registrada de Intel Corporation

en los Estados Unidos. TrueType es una marca comercial de Apple Computer, Inc. Adobe y Acrobat son marcas registradas de Adobe Systems Incorporated. Las marcas y los nombres de productos son marcas comerciales o marcas registradas de sus respectivas empresas. Guarde estas instrucciones para futuras consultas. Siga todas las advertencias e instrucciones usadas en este producto. 2. Desenchufe este producto del tomacorriente antes de la limpieza. Deje todo servicio en manos del personal de servicio cualificado.

3 Compatible con varios tipos de cintas diferentes. Compatible con varios tipos de tarjetas. Laminator Card Printer 7. Card Printer Laminator 8 Indicador de estado El LED verde significa que el estado de la impresora de tarjetas es normal. Indicador de errores El LED rojo significa que ha ocurrido un error. A B C D E F G H A. Tipo de cinta Seleccionar el tipo de cinta que quiera usar. 1. Cinta YMCKO, 2. Cinta Resina Ko 3. Cinta YMCO, 4. KO ribbon or 5. YMCKOK ribbon. B. Tipo de tarjeta Seleccionar el tipo de tarjeta que quiera usar. If you select Premium Photo mode, the printing quality will be enhanced but printing speed will be a little bit lower. D. K only on Back This option is available only for YMCKO ribbons. When it is marked, the front side of the card will be printed by YMC of YMCKO; meanwhile, the back side will be printed by K of YMCKO. Explorar Explorar el trayecto para una base de datos. El formato de una base de datos debe concordar con esta muestra. B C A D E A Lamination Side 4 options to do lamination No Lamination, Front Side Lamination, Back Side Lamination, Double Side Lamination. NOMBRE DEL Nombre del modelo de la impresora. Siga las instrucciones indicadas en la pantalla LCD. Inserte la tarjeta de limpieza y abra la compuerta de la cinta. El controlador no ha sido instalado. La cinta se ha terminado. Ha ocurrido un error en el chip. Sitio web Cinta incorrecta para esta Cinta incompatible Instale el tipo de cinta correcto. impresora. Cinta desconocida La cinta no es reconocida. Atascamiento de tarjetas en el camino de las tarjetas Atascamiento de tarjetas en una aleta. Atascamiento de tarjetas en el dispositivo. Hay tres opciones para desatascar las tarjetas atascadas. Sitio web Reinicie la impresora de tarjetas. Explicación de las luces del panel del operador. Referencia rápida Las luces indican el estado de la impresora. Continúe con los siguientes pasos para No recomendado para menores de 3 años. No recomendado para menores de 3 años.

Advertencias Conserve estas instrucciones para usarlas en el futuro EasiScope 2 contiene una batería insustituible Manual de Usuario. Operador del Mercado Iberico de Energia Polo Espanol Alfonso XI, 6 28014 Madrid Información general de la pantalla de Bienvenida Nuestro software permite a los usuarios programar trabajos de copia de seguridad continuos que copian el contenido de una o mas carpetas No obstante ello, para Para determinar la cantidad de memoria instalada en la impresora, seleccione la opción Imprimir menus ARKITool, ARKIplan, ARKITool Plus son marcas registradas por Ideas y Programas, S.L. Contenido de estas instrucciones PASO 3 Primero le hara falta elegir su lengua en esta pantalla Esta guía de instalación le ayudara a instalar el software y los controladores Guía del usuario La reproducción, adaptación o traducción Lealas de forma detenida y completa!!! Es muy importante que compruebe que su impresora se encuentra Por favor, lea atentamente el manual de usuario antes de utilizar el producto y asegurese Todos los derechos reservados. Guía del usuario de Retrospect Recuperación del Panel de control proporciona varias opciones que pueden ayudarle a recuperar el equipo de un error grave. Nota Antes de usar Recuperación, puede probar primero uno Impresión de datos variables La información de esta publicación esta cubierta por los Avisos legales para La recepción dependera del tipo y La recepción dependera del tipo y condicion de su antena. Las ilustraciones son provistas a modo de referencia. Procedimiento de Instalación del Programa de Ayuda RENTA Y PATRIMONIO 2003 Manual de Usuario El botón Atras permite volver a carpetas que hemos examinado anteriormente. El botón Arriba En esta guía Por favor lea cuidadosamente este manual y guardelo para su futura referencia.

Para soporte adicional, Instalar Crystal Reports XI Release 2 Guía de configuración de Texto a voz de LearnMate 5 Julio de 2011 Se ha Antes de utilizar el software Antes de utilizar el controlador Con

este telefono de sencilla instalacion, usted puede realizar Inserte la tarjeta SIM correctamente en la ranura para la tarjeta SIM2 aplica Inserte la tarjeta SIM correctamente en la ranura para la tarjeta Julio 2015 Version 2.0.0 Copyright 20062015 OPENXCHANGE Inc., La propiedad intelectual de este documento Siete pasos sencillos para instalar su impresora He aqui lo que viene en la caja. Si falta algo, Problemas y soluciones frecuentes. 2. Mensajes de estado de la copia. 5. Mensajes de error de la copia. Panda GateDefender eseries Para ello, le ofrece Todos los derechos reservados. No se concede ninguna licencia relativa a ningun copyright, diseno industrial, Pueden ser definidos alarmas de maxima y minima para Instalacion de VideoCAM Trek Aun asi, a continuacion se explica como poder descargar los programas Este manual le describe las preparaciones necesarias para usar este producto. Siga los procedimientos descritos aqui. Asegurese de Todos los derechos reservados. Queda prohibida la reproduccion, adaptacion o traduccion sin previo consentimiento To use this website, you must agree to our Privacy Policy, including cookie policy. The Microsoft Excel opens a window on the right side as shown below. It might be confusing if you don t change the mapping layer s name as to the ones we created to the Microsoft Excel So it s suggested to enter the same to map with the same fields. Press the ODBC Administrator The ODBC data source screen will appear, press ADD After select correct file click OK button After you click the dialog box will shows the path. And then click OK Click OK After click Ok the available Data Source windows does not shows the just create Data Source you have to click Refresh Button. After select the data source click Next Button.

The next window show Available Table and Views in the Database, if you have more then one tables select correct one for creating mapping Ignore the error message The Layer Name in the Card Desiree CS will be connected after press APPLY Button. Image mapping is a little bit different from the TEXT mapping, first select the image Layer name and then select the ODBC source pointer to a file name, after selecting the right folder which contains the image files to the source properties then it will ask path for the prefix images path which we stored in the disk select the path and press OK. Select a column name and suffix and select the image type .jpg or gif or bmp etc that are stored in the disk, and then press APPLY. The following sample file has the person s first name, last name and email address The window opened You may be creating Navigation The application has navigation tree, which allows you to navigate While the layout has changed, it still functions much the same as Items in a popup menu can have URL links attached PSQL9 is a high performance record management system that performs all data handling operations. Open DataBase Connectivity First, obtain or create an Excel spreadsheet Using the form allows you to start a new database table This feature works for documents that will be saved as a PDF In a new message, do one of the following 1. If Microsoft Word is your email editor a. Click the arrow to The installation of STATISTICA Enterprise Small Business entails two parts a a server installation, and b workstation installations InfoPath 2013 Web Enabled Browser forms InfoPath 2013 Web Enabled Browser forms InfoPath 2013 Web Enabled Browser forms Creating Web Enabled This guide will show you how to install and configure the Outlook Plugin on your desktop. This example shows how to set up a configuration In this lab, you will back up data. You will also perform a recovery of the data.

Recommended Equipment The This feature lets you import check remittance information A The following is required to run DesignPro Microsoft Windows Vista™, Installation Guide. REOpen for SQL Anywhere Installation Guide 1 Your Raiser Microsoft Project is a project management application that contains a set of tools to help Slide masters allow you to make a change just Basically any software All Rights Reserved. Page 1 Please note that this document is one of three that details the process for installing LearningBay In this lab, you will back up data. Recommended Equipment License Management Click link in Organize A mail merge is generally used to personalize form letters, to produce mailing labels and for mass mailings. A mail merge can be very helpful if you This guide was made using standard Windows Microsoft Office A sketched symbol is a userdefined symbol. You create sketched symbols in the sketch environment HHC Data Entry

Module Training Document Error! Bookmark not defined. All rights reserved. No part of this work may be reproduced or transmitted. The following are registered trademarks or trademarks: FoxPro, SQL Server. Because the names of the projects are very long, your view has been changed. Do not use DOS. You cannot enter data using the ODBC driver; The following procedures describe installing Inside of the DreamweaverTraining folder, create another folder called License management. Click the trial link User Guide. Many features and Once installed, the printer driver settings must be configured in the printer Properties. Create an HTML Form Lists are like minidatabases inside of SharePoint that define the form's fields and stores the data submitted from the form. Before you can This extract can be saved. It is active, by default, and the protection level is set to low. The most obvious junk email messages are caught and moved to the Junk EMail folder. Use You can use these tools to help organize your email.

Using folders Folders can Click on Start Settings Printers In the Printers Folder double click on the Add Printer Icon Click on the Next Button to start the installation process of your printer Use your public Survey Crafter Walkthrough Summary Walkthrough Applies to Topic Synopsis This tutorial walks you through entering the example employee satisfaction survey in Survey Crafter Professional To use this website, you must agree to our Privacy Policy, including cookie policy. Here at Sacred Heart Community Service, we are determined to create a community free from poverty by creating hope, opportunity, and action. We could not do the work that we do without all the individuals in our community. Whether you are volunteering your time, donating goods, or sharing your family's experiences, you make Sacred Heart what it is. Thank you for being a part of our community! Help us continue our 50 year tradition of uniting the community by making a monetary donation, buying items from our Top 5 Most Needed Items, or donating gently worn clothing. Volunteers are an essential part of Sacred Heart. Find out how you be a part of this community by serving in one of our thirteen programs. Sacred Heart offers a variety of services to low-income families and individuals in need. We believe in providing essential services, self-sufficiency programs, and advocating for social justice to end poverty. All rights reserved. The topic of buying fake documents for higher and further education has always been acute in the United States. Despite the enormous efforts made by state supervisory authorities, the volume of the shadow market for the manufacture and sale of fake diplomas and certificates does not decrease. An organized group in Seattle was selling fake medical records. Documents were sold through the website. Organized by the organized crime group, a 58-year-old woman who had on her hands imprints of seals and stamps of the clinic, where she worked as a doctor for a long time.

The Print Processor Does Not Exist This is easy to fix if you have another 64-bit PC without the print problem. From a PC that is not experiencing this problem, what you need to do is export HKLM\SYSTEM\CURRENTCONTROLSET\CONTROL\PRINT\ENVIRONMENTS\WINDOWS X64\PRINT PROCESSORS\ and then import it into the problem machine, then reboot alternately you could create new keys and entries manually but that is a pain. It is a simple STRING.. I hope you can find a healthy PC at friend's house or work. Is this related to Winprint.dll. What Should I do to fix this. DLL is present in the system32 path. I have not seen your error directly, but it does not hurt to clean it all out so I would go ahead. I found your fix. I imported the registry settings from a good computer and it worked!!!! You saved me. Kodak support could not resolve after remote operation for over an hour and gave up, blaming Microsoft software. Googled myself silly until I came across this fix. Thank you so very much. Cancel reply John Doe on SOLVED Easy Command Line to Wipe and Reformat a Disk. Nevertheless, the process of creating a customized card for each employee tends to be costly and difficult. The CS series are especially designed to create identification cards for companies in a very cost-effective way. Card Desiree CS is an application used to create the cards that will be printed with the CS printer series. You can design and print both the front and the back sides of the card, adding safety elements such as the employee's photo, a bar code, a space for the employee's signature, and more. The program comes with each printer model in an attached

CDROM, but you can download it from the developers site. Please note that you will need a HiTi CS model to operate this program. Editor rating Please add a comment explaining the reasoning behind your vote. This article discusses the effects of establishing residency in Switzerland, and the dispositions that should be made in advance of such a move.

R E S I D E N C E U N D E R C I V I L L A W Establishing a civil law residence in Switzerland requires not only a physical presence in the place of residence, but also the intent to remain permanently as well as the surrender of the former residence. The new residence cannot be selected arbitrarily, but must be lived in. A desire and emotional preference for a location are irrelevant in establishing a civil law residence. Thus, the decisive factor is not what a person designates as his residence, but rather where he resides with the intent of remaining permanently. The Swiss legal system allows a person to have only one residence; once a residence is established, it remains so until a new residence is acquired. Objective element The objective element, namely presence in the place of residence, is rarely disputed, and even a brief presence in the place of abode is sufficient. In other words, contrary to the situation in other countries, no minimum duration of physical presence is required to establish a Swiss residence. Gian Andri Tondury, lic. iur, LL.M. Partner Swiss residency permit. Exceptions to this requirement can be made on a case by case basis for artists, athletes, international business people, technicians, etc., so long as they maintain their center of vital interests *Lebensmittelpunkt* in Switzerland. No minimum duration of physical presence is required to establish a Swiss residence. Subjective element The subjective element involves determining a person's center of vital interests. Here also, the decisive factor is not what a person subjectively deems to be his residence, but rather whether the center of vital interests was actually established with the intent of residing there permanently; a planned stay of one year is sufficient for meeting the criteria of permanency in this case.